


# Mechanical tools

for coaxial systems

**55240100**

Mounting handle for connector 5/8 MU-RG11-CX3 7,5



**55240700**








Mounting handle for F-connectors GF-UE-ULTRAEASE



**55240600**

Mounting handle for connectors 3,5/12M-RG11-CX3




Item	Description	Order No.
	<b>CC security tool for CC security shield</b> Specialty tool for installing or removing the CC security shield (Order No. 54440000)	<b>55445000</b>
	<b>Locking termination tool LTT-75 for CC-LT-R75</b> Special locking tool for terminator CC-LT-R75	<b>55281000</b>
	<b>F-connector crimp handle</b> Work aid with F-thread and plastic handle for comfortable working, suitable for every F-connector	<b>55240000</b>
	<b>Mounting handle for connectors 5/8 MU-RG11-CX3 7,5</b> Work aid with plastic handle for a comfortable mounting of the 5/8 MU-CX3 connector	<b>55240100</b>
	<b>Mounting handle for connectors IEC14M-RG11-CX3 7,5</b> Work aid with plastic handle for a comfortable mounting of the IEC14M-CX3 connector	<b>55240400</b>
	<b>Mounting handle for connectors 3,5/12M-RG11-CX3</b> Work aid with plastic handle for a comfortable mounting of the 3,5/12M-CX3 connector	<b>55240600</b>
	<b>Mounting handle for F-connectors GF-UE-ULTRAEASE</b> Work aid with plastic handle for a comfortable mounting of the F-compression connectors GF-UE-6 (5,1) and GF-UE 4,9	<b>55240700</b>

**55511500**  
Mounting tool  
RTF 716-3,8L

**55470000**  
Torque wrench  
TW 307-AH-B

**55490000**  
Torque wrench  
TW 407 AH



Item	Description	Order No.
	<b>Torque wrench TW 307-AH-B</b> Tool to tighten the nut of F-connectors complying with torque standard of 3,4 Nm, suitable for all F-connectors with nut-size HEX 11	<b>55470000</b>
	<b>Torque wrench TW 407 AH</b> Tool to tighten the nut of F-connectors complying with torque standard of 4,5 Nm, suitable for all F-connectors with nut-size HEX 11	<b>55490000</b>
	<b>Torque wrench TW 409</b> Tool to tighten the nut of F-connectors complying with torque standard of 4,5 Nm, suitable for all F-connectors with nut-size HEX 14	<b>55510000</b>
	<b>Mounting tool HT-2206F</b> Mounting tool to fix the F-nuts of F-crimp and F-CX3 compression connectors with nut-size HEX 11 onto F-females	<b>55515200</b>
	<b>Mounting tool RTF 716-3,8L</b> Mounting tool to fix F-crimp and F-compression connectors	<b>55511500</b>
	<b>Rubber tool for cable support</b> Cable holder made of flexible rubber for strong hold of the coax cable during F-connector mounting, useable for cables with 3 – 12 mm diameter	<b>55240500</b>
	<b>CRP 106C-.262"+.324" Crimp tool for F-60-Mini</b> Tool for F-60-Mini 3,2 / 5,6 (= .262" connector) as well as for all F-59-ALM ... and F-56-ALM ... (= .324" connectors)	<b>55210000</b>



**55415300**  
POCKET  
Compression tool CX3



**55415500**  
Compression tool  
CX3 universal

Item	Description	Order No.	
	<b>CRP 106J-.360"+.475"</b> Crimp tool for EPA	Tool for 3,5/12M-56-UNIV..., IEC14M-56-UNIV... and F-56-EPA... (= .360" connectors) as well as for 3,5/12M -RG11-EPA..., IEC14M-RG11-EPA..., 5/8MU-RG11-EPA..., FM-RG11-ALM... and FM-COAX6-ALM... (= .475" connectors)	<b>55215000</b>
	<b>CRP 106H-.324"+.360"</b> Professional crimp tool	Tool for all F-59-ALM... and F-56-ALM... (= .324" connectors) as well as for 3,5/12M-56-UNIV..., IEC14M-56-UNIV... and F-56-EPA... (= .360" connectors)	<b>55220000</b>
	<b>CRP 106F-.324"+.475"</b> Professional crimp tool	Tool for all F-59-ALM... and F-56-ALM... (= .324" connectors) as well as for 3,5/12M-RG11-EPA..., IEC14M-RG11-EPA..., 5/8MU-RG11-EPA..., FM-RG11-ALM... and FM-COAX6-ALM... (= .475" connectors)	<b>55230000</b>
	<b>CAT-EX 59/6</b> compression tool	Tool for PPC compression connectors EX-59, EX-6, CMP MC 30 and CMP MC 37	<b>55400000</b>
	<b>CAT-AS-IEC/F-FX</b> Compression tool	Tool for compression connectors F-59-CX3..., F-56-CX3..., FM-RG11-CX3..., IECF-56-CX3... and IECM-56-CX3...	<b>55410100</b>
	<b>POCKET Compression tool CX3</b>	Tool for Cabelcon CX3 compression connectors F-59-CX3..., F-56-CX3..., IECF-56-CX3, IECM-56-CX3... and GF-UE ULTRA	<b>55415300</b>
	<b>Compression tool CX3 universal</b>	Tool for the Cabelcon compression connectors F-, BNC- and IEC- in all dimensions (for coax cable types RG59/RG6/RG7/RG11)	<b>55415500</b>
	<b>Compression tool CX3 multimedia</b>	CX3 compression tool Multimedia for Fm-60, F-56, IECm-59+60, IECF-59+56 and BNCm-60	<b>55415600</b>



**55294000**  
Rotary cable stripper  
for Minicables



**55295205**  
Cable shears  
RG6/RG59/PRG11

	Item	Description	Order No.
	<b>Compression tool RG11 universal</b>	Compression tool RG11 Universal for RG11-CX3 7,5	<b>55415700</b>
	<b>Rotary cable stripper for Minicable, RG 6, RG 58, RG 59</b>	Allround cable stripper for stripping of cable types Ören HD-063, HD-083, HD-103, HD-113 and Belden H123xx, H121xx, H126xx and LCD 130A with stripping lengths of 6,5 mm for each the inner conductor and the braid (for crimp types ALM, UNIV, EPA and MINI)	<b>55294000</b>
	<b>Cable stripper RG 11</b>	Cable stripper for cable types Ören HD-163 and Belden PRG11xx with 2 adjustable blades	<b>55295000</b>
	<b>Cable stripper for RG6/59 w/ HEX 11 spanner</b>	Cable stripper for cable types RG 6/59 with spanner fits for HEX 11 F-connectors	<b>55295003</b>
	<b>Cable stripper CSS-5127, RG59 &amp; RG6</b>	Cable stripper for RG59 and RG6 cable types with stripping lengths of 12 mm (outer conductor) and 7 mm (inner conductor), suitable for the 2 port multimedia outlets btw-MMD-5xx-y	<b>55295007</b>
	<b>Replacement blades CSS-110</b>	Replacement blades for the cable stripper CSS-5127 with stripping lengths of 12 mm (outer conductor) and 7 mm (inner conductor), suitable for the 2 port multimedia outlets btw-MMD-5xx-y	<b>55295008</b>
	<b>Cable shears RG6/RG59/PRG11</b>	Cable shears for coaxial cables with an outer diameter of max. 10,2 mm	<b>55295205</b>
	<b>Cable shears JIC-750</b>	Cable shears for coaxial cables with an outer diameter of max. 19,05 mm	<b>55295204</b>



**55295201**  
Cable shears JIC-755






**55299500**  
Dual stripping tool for  
corrugated cables



**55515500**  
RPT cable checker



Item	Description	Order No.
<b>Cable shears CXC-1</b>	Cable shears for coaxial cables with an outer diameter of max. 25,4 mm	<b>55295200</b>
<b>Cable shears JIC-755</b>	Cable shears for coaxial cables with an outer diameter of max. 25,4 mm	<b>55295201</b>
 <b>Dual stripping tool for trunk coax cables</b>	Perfect stripping of jacket, outer- and inner conductor in one step with high accuracy according to the stripping directions for each connector size. Only for Cabelcon connectors!	
	Stripping tool for iKx	<b>55295500</b>
	Stripping tool for nKx	<b>55296000</b>
	Stripping tool for qKx	<b>55297000</b>
	Stripping tool for sKx	<b>55297500</b>
 <b>Dual stripping tool for trunk coax cables</b>	Specially designed for connection cables of the in-ground tap-off type Kabelmetall Cellflex HFC 1/2" Cu2Y. Perfect stripping of jacket, outer and inner conductor in one step with high accuracy according to the stripping directions of the 3,5/12f-C418 connector.	<b>55299500</b>
	Perfect stripping of jacket, outer- and inner conductor in one step with high accuracy according to the stripping directions for each connector size. Only for Cabelcon connectors!	
	Stripping tool for COAX 4	<b>55298000</b>
 <b>RPT cable checker</b>	Stripping tool for COAX 3	<b>55299000</b>
	For connection testing with optical and sound alert	<b>55515500</b>